

MATERIAL SAFETY DATA SHEET

Date Issued:	1/10/2016
MSDS NUMBER:	DYEBLKBKEX
Date Revised:	1/10/2016
Revision Number:	001

1. Identification

1.1. Product identifier

Product Identity Specialty Black BK Excel
Alternate Names Specialty Black BK Excel

1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended use Dye used to color anodized aluminum.
Application Method See Technical Data Sheet.

1.3. Details of the supplier of the safety data sheet

Company Name Caswell Australia
 Factory 1, 51 Elm Park Drive
 Hoppers Crossing, Victoria, 3029

Emergency

24 hour Emergency Telephone No. **000**
Customer Service: Caswell Australia 03 9741 7103

2. Hazard(s) identification

2.1. Classification of the substance or mixture

Skin Sens. 1;H317 May cause an allergic skin reaction.
 Resp. Sens. 1;H334 May cause allergy or asthma symptoms of breathing difficulties if inhaled.

2.2. Label elements

Using the Toxicity Data listed in section 11 and 12 the product is labeled as follows.



Danger

H317 May cause an allergic skin reaction.

H334 May cause allergic or asthmatic symptoms or breathing difficulties if inhaled.

[Prevention]:

P261 Avoid breathing dust / fume / gas / mist / vapors / spray.

P272 Contaminated work clothing should not be allowed out of the workplace.

MATERIAL SAFETY DATA SHEET

P280 Wear protective gloves / eye protection / face protection.

P285 In case of inadequate ventilation wear respiratory protection.

[Response]:

3. Composition/information on ingredients

This product contains the following substances that present a hazard within the meaning of the relevant State and Federal Hazardous Substances regulations.

Ingredient/Chemical Designations	Weight %	GHS Classification	Notes
Azo dyes CAS Number: Proprietary	85- 100	Not Classified	[1]

P302+352 IF ON SKIN: Wash with plenty of soap and water.

P304+341 IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing.

P313 Get medical advice / attention.

P321 Specific treatment (see information on this label).

P333+313 If skin irritation or a rash occurs: Get medical advice / attention.

P342+311 If experiencing respiratory symptoms: Call a POISON CENTER or doctor / physician.

P363 Wash contaminated clothing before reuse.

[Storage]:

No GHS storage statements

[Disposal]:

P501 Dispose of contents / container in accordance with local / national regulations.

Acetic acid, sodium salt, trihydrate CAS Number: 0006131-90-4	5 - 25	Not Classified	[1]
Chromium compounds (as Cr (III)) CAS Number: 0007440-47-3	1.0 - 5	Skin Sens. 1;H317 Resp. Sens. 1;H334 Eye Irrit. 2;H319 Aquatic Chronic 4;H413	[1][2]

In accordance with paragraph (i) of §1910.1200, the specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

[1] Substance classified with a health or environmental hazard.

[2] Substance with a workplace exposure limit.

[3] PBT-substance or vPvB-substance.

*The full texts of the phrases are shown in Section 16.

4. First aid measures

4.1. Description of first aid measures

General

In all cases of doubt, or when symptoms persist, seek medical attention.
Never give anything by mouth to an unconscious person.

Inhalation

Remove to fresh air, keep patient warm and at rest. If breathing is irregular or stopped, give artificial respiration. If unconscious place in the recovery position and obtain immediate medical attention. Give nothing by mouth.

MATERIAL SAFETY DATA SHEET

Eyes Immediately flush the eyes with large amounts of water for at least 15 minutes, alternately lifting the upper and lower eyelids. After 5 minutes, if appropriate, remove contact lenses and continue flushing the eyes for an additional 15 minutes. Call a physician at once.

Skin Remove contaminated clothing. Wash skin thoroughly with soap and water or use a recognized skin cleanser.

Ingestion Do not induce vomiting and get medical attention.

4.2. Most important symptoms and effects, both acute and delayed

Overview Health effects of exposure:

Inhalation: Inhalation of dust may cause respiratory irritation. Chromium and certain compounds of chromium have been reported to cause damage to the lungs, resulting in cumulative damage.

Ingestion: May cause gastric disturbances.

Skin: May cause sensitization on repeated contact. Dermatitis has been reported from repeated contact with chromium compounds.

Eyes: Contact may cause irritation.

Chromium: The Department of Health and Human Services (DHHS), the International Agency for Research on Cancer (IARC), and the EPA have determined that the hexavalent form of chromium, chromium (VI), CAS# 18540-29-9 is a known human carcinogen. This compound is the trivalent form of chromium, and not the hexavalent form of chromium. See section 2 for further details.

Inhalation May cause allergy or asthma symptoms of breathing difficulties if inhaled.

Skin May cause an allergic skin reaction.

5. Fire-fighting measures

5.1. Extinguishing media

Recommended extinguishing media; CO₂, powder, water

5.2. Special hazards arising from the substance or mixture

Hazardous composition products: Burning may produce oxides of carbon, nitrogen and sulfur.

Avoid breathing dust / fume / gas / mist / vapors / spray.

5.3. Advice for fire-fighters

Unusual fire/explosion hazards: Organic dusts have potential to be explosive with static spark or flame initiation.

Adequate ventilation and clean-up must be maintained to minimize dust accumulation.

Fire-fighters should wear appropriate equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

ERG Guide No. ----

6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Put on appropriate personal protective equipment (see section 8).

6.2. Environmental precautions

Do not allow spills to enter drains or waterways.

MATERIAL SAFETY DATA SHEET

6.3. Methods and material for containment and cleaning up

Wear prescribed protective equipment. Vacuum or sweep up material and place in a designated container immediately. Prevent run off to drains, sewers or other public waterways.

Waste material may be disposed of by a licensed waste facility contractor.

7. Handling and storage

7.1. Precautions for safe handling

Avoid contact with eyes, skin, and clothing. Eating, drinking, and smoking should be prohibited in areas where this material is handled. Wash hands and face before eating, drinking, and smoking. Put on appropriate personal protective equipment (see section 8).

See section 2 for further details. - [Prevention]:

7.2. Conditions for safe storage, including any incompatibilities

Handle containers carefully to prevent damage and spillage.

Do not expose to friction or shock.

Incompatible materials: No data available.

Store in original container, in a cool, dry location. Close package tightly after removal of product. Avoid dust formation. Keep away from sources of ignition.

See section 2 for further details. - [Storage]:

7.3. Specific end use(s)

No data available.

8. Exposure controls and personal protection

8.1. Control parameters

Exposure

CAS No.	Ingredient	Source	Value
0006131-90-4	Acetic acid, sodium salt, trihydrate	OSHA	No Established Limit
		ACGIH	No Established Limit
		NIOSH	No Established Limit
		Supplier	No Established Limit
0007440-47-3	Chromium compounds (as Cr (III))	OSHA	TWA 1 mg/m3 [*Note: The PEL also applies to insoluble chromium salts.]
		ACGIH	TWA: 0.5 mg/m3 (III)
		NIOSH	TWA 0.5 mg/m3
		Supplier	No Established Limit
Proprietary	Azo dyes	OSHA	No Established Limit
		ACGIH	No Established Limit
		NIOSH	No Established Limit
		Supplier	No Established Limit

MATERIAL SAFETY DATA SHEET

The exposure limits for nuisance dust are: OSHA PEL: 15 mg/m³ (50 mppcf*) TWA, ACGIH 10 mg/m³.

Carcinogen Data

CAS No.	Ingredient	Source	Value
0006131-90-4	Acetic acid, sodium salt, trihydrate	OSHA	Select Carcinogen: No
		NTP	Known: No; Suspected: No
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;
0007440-47-3	Chromium compounds (as Cr (III))	OSHA	Select Carcinogen: No
		NTP	Known: No; Suspected: No
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: Yes; Group 4: No;
Proprietary	Azo dyes	OSHA	Select Carcinogen: No
		NTP	Known: No; Suspected: No
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;

8.2. Exposure controls

- Respiratory** An appropriate NIOSH approved respirator for dust should be worn. Use type N95 (US) or type P1 (EN 143) dust masks.
- Eyes** Wear safety glasses with side shields.
- Skin** Wear a rubber or plastic apron. Wear clothing suitable to avoid skin contact and clean after every shift. Wear impermeable rubber or plastic gloves.
- Engineering Controls** Provide adequate ventilation. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and any vapor below occupational exposure limits suitable respiratory protection must be worn.
- Other Work Practices** Eye wash fountain and emergency showers are recommended. Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

See section 2 for further details. - [Prevention]:

9. Physical and chemical properties

Appearance	Black Powder
Odor	Not Specified
Odor threshold	Not Measured
pH	Not Measured
Melting point / freezing point	Not Measured
Initial boiling point and boiling range	Not Measured
Flash Point	Not Measured
Evaporation rate (Ether = 1)	Not Measured
Flammability (solid, gas)	Not Applicable
Upper/lower flammability or explosive limits	Lower Explosive Limit: Not Measured Upper Explosive Limit: Not Measured

MATERIAL SAFETY DATA SHEET

Vapor pressure (Pa)	Not Measured
Vapor Density	Not Measured
Specific Gravity	Not Measured
Solubility in Water	Not Measured
Partition coefficient n-octanol/water (Log Kow)	Not Measured
Auto-ignition temperature	Not Measured
Decomposition temperature	Not Measured
Viscosity (cSt)	Not Measured
Solubility in Water	Approximately 50 g/l (72F)

9.2. Other information

No other relevant information.

10. Stability and reactivity

10.1. Reactivity

Hazardous Polymerization will not occur.

10.2. Chemical stability

Stable under normal circumstances.

10.3. Possibility of hazardous reactions

No data available.

10.4. Conditions to avoid

No data available.

10.5. Incompatible materials

No data available.

10.6. Hazardous decomposition products

When used and handled as directed, none.

11. Toxicological information

Acute toxicity

Ingredient	Oral LD50, mg/kg	Skin LD50, mg/kg	Inhalation Vapor LC50, mg/L/4hr	Inhalation Dust/Mist LC50, mg/L/4hr	Inhalation Gas LC50, ppm
Azo dyes - (Proprietary)	No data available	No data available	No data available	No data available	No data available
Acetic acid, sodium salt, trihydrate - (6131-90-4)	No data available	No data available	No data available	No data available	No data available
Chromium compounds (as Cr (III)) - (7440-47-3)	422.00, Rat - Category: 4	No data available	No data available	No data available	No data available

MATERIAL SAFETY DATA SHEET

Note: When no route specific LD50 data is available for an acute toxin, the converted acute toxicity point estimate was used in the calculation of the product's ATE (Acute Toxicity Estimate).

Classification	Category	Hazard Description
Acute toxicity (oral)	---	Not Applicable
Acute toxicity (dermal)	---	Not Applicable
Acute toxicity (inhalation)	---	Not Applicable
Skin corrosion/irritation	---	Not Applicable
Serious eye damage/irritation	---	Not Applicable
Respiratory sensitization	1	May cause allergy or asthma symptoms of breathing difficulties if inhaled.
Skin sensitization	1	May cause an allergic skin reaction.
Germ cell mutagenicity	---	Not Applicable
Carcinogenicity	---	Not Applicable
Reproductive toxicity	---	Not Applicable
STOT-single exposure	---	Not Applicable
STOT-repeated exposure	---	Not Applicable
Aspiration hazard	---	Not Applicable

12. Ecological information

12.1. Toxicity

The preparation has been assessed following the conventional method of the Dangerous Preparations Directive 1999/45/EC and GHS and is not classified as dangerous for the environment, but contains substance(s) dangerous for the environment. See section 3 for details

Aquatic Ecotoxicity

Ingredient	96 hr LC50 fish, mg/l	48 hr EC50 crustacea, mg/l	ErC50 algae, mg/l
Azo dyes - (Proprietary)	Not Available	Not Available	Not Available
Acetic acid, sodium salt, trihydrate - (6131-90-4)	Not Available	Not Available	Not Available
Chromium compounds (as Cr (III)) - (7440-47-3)	77.50, Pimephales promelas	1.20, Daphnia magna	580.00 (72 hr), Chlorella pyrenoidosa

12.2. Persistence and degradability

There is no data available on the preparation itself.

12.3. Bioaccumulative potential

Not Measured

12.4. Mobility in soil

No data available.

MATERIAL SAFETY DATA SHEET

12.5. Results of PBT and vPvB assessment

This product contains no PBT/vPvB chemicals.

12.6. Other adverse effects

No data available.

13. Disposal considerations

13.1. Waste treatment methods

Observe all federal, state and local regulations when disposing of this substance.

14. Transport information

	DOT (Domestic Surface Transportation)	IMO / IMDG (Ocean Transportation)	ICAO/IATA
14.1. UN number	Not Applicable	Not Regulated	Not Regulated
14.2. UN proper shipping name	Not Regulated	Not Regulated	Not Regulated
14.3. Transport hazard class(es)	DOT Hazard Class: Not Applicable	IMDG: Not Applicable Sub Class: Not Applicable	Air Class: Not Applicable
14.4. Packing group	Not Applicable	Not Applicable	Not Applicable
14.5. Environmental hazards			
IMDG	Marine Pollutant: No		
14.6. Special precautions for user			
	No further information		

15. Regulatory information

Regulatory Overview	The regulatory data in Section 15 is not intended to be all-inclusive, only selected regulations are represented.
Toxic Substance Control Act (TSCA)	All components of this material are either listed or exempt from listing on the TSCA Inventory.
WHMIS Classification	D2A
US EPA Tier II Hazards	<p style="text-align: right;">Fire: No</p> <p style="text-align: right;">Sudden Release of Pressure: No</p> <p style="text-align: right;">Reactive: No</p> <p style="text-align: right;">Immediate (Acute): Yes</p> <p style="text-align: right;">Delayed (Chronic): No</p>
EPCRA 311/312 Chemicals and RQs (lbs):	
	Chromium compounds (as Cr (III)) (5,000.00)

MATERIAL SAFETY DATA SHEET

EPCRA 302 Extremely Hazardous:

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

EPCRA 313 Toxic Chemicals:

Chromium compounds (as Cr (III))

Proposition 65 - Carcinogens (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Proposition 65 - Developmental Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Proposition 65 - Female Repro Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Proposition 65 - Male Repro Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

New Jersey RTK Substances (>1%):

Chromium compounds (as Cr (III))

Pennsylvania RTK Substances (>1%):

Chromium compounds (as Cr (III))

16. Other information

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein. We accept no responsibility and disclaim all liability for any harmful effects which may be caused by exposure to our products. Customers/users of this product must comply with all applicable health and safety laws, regulations, and orders.

The full text of the phrases appearing in section 3 is:

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H334 May cause allergic or asthmatic symptoms or breathing difficulties if inhaled.

H413 May cause long lasting harmful effects to aquatic life.

We believe all the data and information given is accurate as of the date of preparation and is offered in good faith, but without warranty or representation. Since conditions of use are beyond our control, we disclaim all liability for reliance thereon. This is offered solely for your consideration, investigation and verification.

APPROVED BY Paul Davies

POSITION CEO

REVISION SUMMARY: Newly imported Product ,

MATERIAL SAFETY DATA SHEET

MANUFACTURER DISCLAIMER

The information contained herein is provided without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees.

End of Document